

# SAFETY DATA SHEET

16-Aug-2016

## 1. IDENTIFICATION

### Product identifier

**Product Name** BioGuard Erase

### Other means of identification

**Product Code** 3105  
**UN/ID no.** UN1760

### Recommended use of the chemical and restrictions on use

**Recommended Use** Swimming pool algaecide.  
**Uses advised against** Do not mix with other chemicals

### Details of the supplier of the safety data sheet

**Supplier Address**  
KIK HOLDCO COMPANY INC.  
33 MacIntosh Blvd.  
Concord, ON L4K 4L5  
1-888-640-7946

### Emergency telephone number

**Emergency Telephone** Canutec (Transportation) 1-613-996-6666 (Call Collect)  
Poison Control Center (Medical) : (877) 800-5553

## 2. HAZARDS IDENTIFICATION

### Classification

This mixture is classified as hazardous according to the Global Harmonized System (GHS)

Acute toxicity - Oral	Category 5
Serious eye damage/eye irritation	Category 2A
Corrosive to metals	Category 1

### Label elements

#### Emergency Overview

#### Warning

#### Hazard statements

May be harmful if swallowed  
Causes serious eye irritation  
May be corrosive to metals



**Color** Blue green

**Physical state** liquid

**Odor** acidic

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
 Wear protective gloves/protective clothing/eye protection/face protection  
 Keep only in original container

**Precautionary Statements - Response**

Call a POISON CENTER or doctor/physician if you feel unwell  
 Specific treatment (see back panel on this label)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention  
 Absorb spillage to prevent material damage

**Precautionary Statements - Storage**

Store in original plastic container. Store in a well-ventilated place. Keep cool

**Hazards not otherwise classified (HNOC)**

Not applicable

**Other Information**

23.3% of the mixture consists of ingredient(s) of unknown toxicity

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Mixture**

Chemical Name	CAS No.	Weight-%
Copper (metallic)	7440-50-8	3.3*

\* Derived from Copper sulfate pentahydrate (CAS # 7758-99-8).

### 4. FIRST AID MEASURES

**Description of first aid measures**

<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician.
<b>Skin contact</b>	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. If skin irritation persists, call a physician.
<b>Inhalation</b>	Remove to fresh air. Oxygen or artificial respiration if needed. If symptoms persist, call a physician.
<b>Ingestion</b>	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water. Call a physician.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** None known.

**Specific hazards arising from the chemical**

No information available.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas.

**Environmental precautions**

**Environmental precautions** Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Use personal protective equipment as required. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not mix with other chemicals.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep out of the reach of children. Keep in a dry, cool and well-ventilated place.

**Incompatible materials** Incompatible with oxidizing agents. Do not mix with other swimming pool/spa chemicals in their concentrated forms.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Copper (metallic) 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> Cu dust and mist	TWA: 0.1 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> dust and mist (vacated) TWA: 0.1 mg/m <sup>3</sup> Cu dust, fume, mist	IDLH: 100 mg/m <sup>3</sup> dust, fume and mist IDLH: 100 mg/m <sup>3</sup> Cu dust and mist TWA: 1 mg/m <sup>3</sup> dust and mist TWA: 0.1 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> Cu dust and mist

**Appropriate engineering controls**

**Engineering Controls**                      Showers  
    Eyewash stations  
    Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**                      Wear safety glasses with side shields (or goggles).

**Skin and body protection**                Wear protective gloves and protective clothing.

**Respiratory protection**                    If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations**      Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	liquid	<b>Odor</b>	acidic
<b>Appearance</b>	aqueous solution	<b>Odor threshold</b>	No information available
<b>Color</b>	Blue green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	2 - 3	
Melting point/freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	1.18	
Water solubility	Miscible in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Density	No information available	
Bulk density	No information available	
Explosive properties	No information available	
Oxidizing properties	Not applicable	

**Other Information**

<b>Softening point</b>	No information available
<b>Molecular weight</b>	No information available
<b>VOC Content (%)</b>	No information available

**10. STABILITY AND REACTIVITY**

**Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Extremes of temperature and direct sunlight.

**Incompatible materials**

Incompatible with oxidizing agents. Do not mix with other swimming pool/spa chemicals in their concentrated forms.

**Hazardous Decomposition Products**

Carbon oxides. Sulphur oxides. copper oxides.

**11. TOXICOLOGICAL INFORMATION**

**Information on likely routes of exposure**

<b>Inhalation</b>	Not an expected route of exposure.
<b>Eye contact</b>	Severely irritating to eyes.
<b>Skin contact</b>	Not expected to cause skin irritation under normal use conditions.
<b>Ingestion</b>	May be harmful if swallowed.

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Chronic toxicity</b>	No information available.
<b>Target Organ Effects</b>	Eyes.
<b>Aspiration hazard</b>	No information available.

**Numerical measures of toxicity - Product Information**

<b>Oral LD50</b>	3501 mg/kg (rat)
<b>Dermal LD50</b>	> 5000 mg/kg (rat)

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Very toxic to aquatic life with long lasting effects

29% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Copper (metallic) 7440-50-8	0.0426 - 0.0535: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.031 - 0.054: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	0.0068 - 0.0156: 96 h Pimephales promelas mg/L LC50 0.3: 96 h Pimephales promelas mg/L LC50 static 0.2: 96 h Pimephales promelas mg/L LC50 flow-through 0.052: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 1.25: 96 h	0.03: 48 h Daphnia magna mg/L EC50 Static

		Lepomis macrochirus mg/L LC50 static 0.3: 96 h Cyprinus carpio mg/L LC50 semi-static 0.8: 96 h Cyprinus carpio mg/L LC50 static 0.112: 96 h Poecilia reticulata mg/L LC50 flow-through	
--	--	---	--

**Persistence and degradability**

No information available.

**Bioaccumulation**

No information available.

**Mobility**

No information available.

**Other adverse effects**

No information available

### 13. DISPOSAL CONSIDERATIONS

**Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container. Refer to all federal, state and local regulations prior to disposal of container and unused contents by reuse, recycle or disposal.

### 14. TRANSPORT INFORMATION

**Note:**

Limited quantity (LQ) exception is possible

**DOT**

<b>UN/ID no.</b>	UN1760
<b>Proper shipping name</b>	Corrosive liquids, n.o.s. (contains delta-gluconolactone)
<b>Hazard Class</b>	8
<b>Packing Group</b>	III
<b>Emergency Response Guide Number</b>	154

**TDG**

<b>UN/ID no.</b>	UN1760
<b>Proper shipping name</b>	Corrosive liquid, n.o.s. (contains delta-gluconolactone)
<b>Hazard Class</b>	8
<b>Packing Group</b>	III

**IATA**

<b>UN/ID no.</b>	UN1760
<b>Proper shipping name</b>	Corrosive liquid, n.o.s. (contains delta-gluconolactone)
<b>Hazard Class</b>	8
<b>Packing Group</b>	III

**IMDG**

<b>UN/ID no.</b>	UN1760
<b>Proper shipping name</b>	Corrosive liquid, n.o.s. (contains delta-gluconolactone)
<b>Hazard Class</b>	8
<b>Packing Group</b>	III
<b>EmS-No.</b>	F-A, S-B

**Marine pollutant** This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** Complies  
**DSL/NDSL** Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Copper (metallic) - 7440-50-8	1.0

**SARA 311/312 Hazard Categories**

**Acute health hazard** Yes  
**Chronic Health Hazard** No  
**Fire hazard** No  
**Sudden release of pressure hazard** No  
**Reactive Hazard** No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper (metallic) 7440-50-8	-	X	X	-

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Copper (metallic) 7440-50-8	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

**Canada**

PCP Registration Number 25439

**16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

**NFPA** Health hazards 2 Flammability 0 Instability 0 Physical and Chemical Properties -  
**HMIS** Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

**Prepared By** Regulatory Affairs  
**Revision Date** 16-Aug-2016  
**Revision Note** No information available  
**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**