

SAFETY DATA SHEET

Revision Date 18-Nov-2015

Version 1

1. IDENTIFICATION

Product identifier

Product Name BioGuard Power Pucks

Other means of identification

Product Code 2468A

Recommended use of the chemical and restrictions on use

Recommended Use Swimming pool sanitizer.

Uses advised against Do not mix with other chemicals

Details of the supplier of the safety data sheet

Supplier Address

KIK HOLDCO COMPANY INC.
33 MacIntosh Blvd,
Concord, ON L4K 4L5
1-888-640-7946

Emergency telephone number

Emergency Telephone Canutec (Transportation) 1-613-996-6666 (Call Collect)
Poison Control Center (Medical) : (877) 800-5553

2. HAZARDS IDENTIFICATION

Classification

This mixture is classified as hazardous according to the Global Harmonized System (GHS)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if swallowed
Causes skin irritation
Causes serious eye damage
Suspected of damaging fertility or the unborn child
May cause respiratory irritation
Fatal if inhaled **



Color blue	Physical state Solid	Odor Chlorine
-------------------	-----------------------------	----------------------

**** Product as sold is not expected to produce respiratory effects. See Section 11 (Toxicological Information) for additional details on inhalation.**

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Wear respiratory protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a POISON CENTER or doctor/physician
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Immediately call a POISON CENTER or doctor/physician
 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
 Rinse mouth

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

3.05% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical Name	CAS No.	Weight-%
Trichloro-s-triazinetrione	87-90-1	72.3
aluminium sulfate	10043-01-3	15 - 20
Boron sodium oxide (B ₄ Na ₂ O ₇), pentahydrate	12179-04-3	6.8
boric acid	10043-35-3	0.1 - 1

4. FIRST AID MEASURES

Description of first aid measures

General advice

If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing.

Eye contact

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

	continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Artificial respiration and/or oxygen may be necessary. If symptoms persist, call a physician.
Ingestion	Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician or poison control center immediately. Drink plenty of water. Clean mouth with water and drink afterwards plenty of water. Call a physician. Have person sip a glass of water if able to swallow. Call a physician immediately.
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
<u>Most important symptoms and effects, both acute and delayed</u>	
Symptoms	No information available.
<u>Indication of any immediate medical attention and special treatment needed</u>	
Note to physicians	Treat symptomatically. Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Flood fire area with water from a distance.

Unsuitable extinguishing media Do not use dry chemicals, carbon dioxide, or halogenated extinguishing agents.

Specific hazards arising from the chemical

Do not let the fire burn. Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Wet material may generate nitrogen trichloride, an explosion hazard.

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Keep people away from and upwind of spill/leak. Use personal protective equipment as required. Evacuate personnel to safe areas.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information. Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Do not add water to spilled material. Using clean dedicated equipment, sweep and scoop all spilled material, contaminated soil,

and other contaminated material and place into clean dry containers for disposal. Do not close containers containing wet or damp material. They should be left open to disperse any hazardous gases that may form.

Methods for cleaning up

Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Pick up and transfer to properly labeled containers. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away traces with water. Do not use floor sweeping compounds to clean up spills. Do not transport wet or damp material. Contact supplier in Section 1 for instructions, especially for damp or contaminated material.

7. HANDLING AND STORAGE

Precautions for safe handling**Advice on safe handling**

Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. Do not mix with other chemicals. Keep/Store away from clothing/ combustible materials. Wash thoroughly after handling. Use only in well-ventilated areas.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers.

Incompatible materials

Incompatible with strong acids and bases. Ammonia. Calcium hypochlorite. Combustible material. Do not mix with other swimming pool/spa chemicals in their concentrated forms. Reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
aluminium sulfate 10043-01-3	-	(vacated) TWA: 2 mg/m ³ Al Aluminum	TWA: 2 mg/m ³ Al
Boron sodium oxide (B ₄ Na ₂ O ₇), pentahydrate 12179-04-3	STEL: 6 mg/m ³ inhalable fraction TWA: 2 mg/m ³ inhalable fraction	(vacated) TWA: 10 mg/m ³	TWA: 1 mg/m ³
boric acid 10043-35-3	STEL: 6 mg/m ³ inhalable fraction TWA: 2 mg/m ³ inhalable fraction	-	-

Appropriate engineering controls**Engineering Controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Wash hands thoroughly after handling. Keep away from food, drink and animal feeding stuffs.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	Odor	Chlorine
Appearance	tablet	Odor threshold	No information available
Color	blue		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	3.7	Saturated aqueous solution
Melting point/freezing point	183 °C / 361 °F	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	0.918	
Water solubility	2 g/l	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Density	No information available	
Bulk density	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight. Protect from moisture. Do not mix with other chemicals.

Incompatible materials

Incompatible with strong acids and bases. Ammonia. Calcium hypochlorite. Combustible material. Do not mix with other swimming pool/spa chemicals in their concentrated forms. Reducing agents.

Hazardous Decomposition Products

Chlorine gas.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	This material in the form as sold is not expected to produce respiratory effects. Particles of respirable size are generally not encountered. The respirable fraction is typically less than 0.1% by weight. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. Exposure to the solid product or to free chlorine evolving from the product may cause irritation, redness of upper and lower airways, coughing, laryngospasm and edema, shortness of breath, bronchoconstriction, and possible pulmonary edema. The pulmonary edema may develop several hours after a severe acute exposure.
Eye contact	Severely irritating to eyes. Risk of serious damage to eyes. Causes burns.
Skin contact	Irritating to skin. Contact with moist skin may cause skin burns. Causes burns.
Ingestion	Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trichloro-s-triazinetrione 87-90-1	= 406 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	0.09 - 0.29 mg/L (Rat) 4 h
aluminium sulfate 10043-01-3	= 1930 mg/kg (Rat)	-	-
Boron sodium oxide (B4Na2O7), pentahydrate 12179-04-3	= 2403 mg/kg (Rat)	-	-
boric acid 10043-35-3	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 0.16 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.
Germ cell mutagenicity No information available.
Carcinogenicity No information available.

Reproductive toxicity This product contains a boron compound. This boron compound when fed to test animals at very high doses has shown reproductive and developmental toxicity. When this product is used according to label directions, the boron compound in this product does not represent a practical risk to humans.

STOT - single exposure No information available.
STOT - repeated exposure No information available.
Chronic toxicity Avoid repeated exposure.
Target Organ Effects Eyes, Respiratory system, Skin.
Aspiration hazard No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 410 mg/kg
ATEmix (dermal) 2022 mg/kg
ATEmix (inhalation-dust/mist) 0.2 mg/l
Oral LD50 746 mg/kg (rat) (female)
Dermal LD50 > 2000 mg/kg (rat)

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Very toxic to aquatic life with long lasting effects

9.93685% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Trichloro-s-triazinetrione 87-90-1	-	0.13 - 0.5: 96 h Lepomis macrochirus mg/L LC50 static 0.06 - 0.11: 96 h Oncorhynchus mykiss mg/L LC50 static	0.21: 48 h Daphnia magna mg/L EC50 0.16 - 0.18: 48 h Daphnia magna mg/L EC50 Static
aluminium sulfate 10043-01-3	-	100: 96 h Carassius auratus mg/L LC50 37: 96 h Gambusia affinis mg/L LC50 static	136: 15 min Daphnia magna mg/L EC50
boric acid 10043-35-3	-	1020: 72 h Carassius auratus mg/L LC50 flow-through	115 - 153: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical Name	Partition coefficient
boric acid 10043-35-3	-0.757

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods**Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container. Refer to all federal, state and local regulations prior to disposal of container and unused contents by reuse, recycle or disposal.

14. TRANSPORT INFORMATION

Note:

Product classified as UN 3077 or UN 3082 that are shipped in containers not exceeding 5 kg or 5 L may ship as Not Subject to the provisions of the IMDG Code and Not Restricted under IATA. Refer to IMDG Ch 2.10 and IATA SP-197.

DOT

Not regulated

TDG

Not regulated

IATA**UN/ID no.**

UN3077

Proper shipping name

Environmentally hazardous substance, solid, n.o.s. (Trichloro-s-triazinetrione)

Hazard Class

9

Packing Group

III

IMDG**UN/ID no.**

UN3077

Proper shipping name

Environmentally hazardous substance, solid, n.o.s. (Trichloro-s-triazinetrione)

Hazard Class

9

Packing Group

III

EmS-No.

F-A, S-F

Marine pollutant

This material meets the definition of a marine pollutant

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
 DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard Yes
 Chronic Health Hazard Yes
 Fire hazard No
 Sudden release of pressure hazard No
 Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
aluminium sulfate 10043-01-3	5000 lb	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
aluminium sulfate 10043-01-3	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

Canada

PCP Registration Number 25209

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 3 Flammability 0 Instability 1 Physical and Chemical Properties -
HMIS Health hazards 3* Flammability 0 Physical hazards 1 Personal protection X

Prepared By Regulatory Affairs
 Revision Date 18-Nov-2015
 Revision Note No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet